

To: Mullin, Michelle[Mullin.Michelle@epa.gov]
From: Dodo, Gerald
Sent: Fri 3/18/2016 9:02:16 PM
Subject: FW: Sky Valley PCB Inspection - instruction sheet for review!

fyi

Gerald Dodo

Supervisory Chemist

DWCO

USEPA Region 10 Laboratory

7411 Beach Dr. East

Port Orchard, WA 98366

Phone: (360) 871-8728

FAX: 360-871-8748

From: Crawford, Jennifer
Sent: Friday, March 18, 2016 2:01 PM
To: Dodo, Gerald <Dodo.Gerald@epa.gov>
Subject: RE: Sky Valley PCB Inspection - instruction sheet for review!

Yes, thank you!

From: Dodo, Gerald
Sent: Friday, March 18, 2016 2:01 PM
To: Crawford, Jennifer <Crawford.Jennifer@epa.gov>
Subject: RE: Sky Valley PCB Inspection - instruction sheet for review!

Did you get the coolers and supplies Brent sent?

Gerald Dodo

Supervisory Chemist

DWCO

USEPA Region 10 Laboratory

7411 Beach Dr. East

Port Orchard, WA 98366

Phone: (360) 871-8728

FAX: 360-871-8748

From: Crawford, Jennifer

Sent: Friday, March 18, 2016 1:53 PM

To: Norton, Karen <Norton.Karen@epa.gov>; Wood, Kim <Wood.Kim@epa.gov>

Cc: Dodo, Gerald <Dodo.Gerald@epa.gov>; Pace, Christopher <Pace.Christopher@epa.gov>

Subject: Sky Valley PCB Inspection - instruction sheet for review!

Hello!

Please let me know if you have any additions or corrections on the attached instruction sheet for the R5 inspector. I plan to send this out to him this afternoon.

Thanks,

Jennifer